



EXTERIOR DIMENSIONS	
Wheelbase	121.7 in.
Overall Length	202.8 in.
Overall Width	73.8 in.
Overall Height	58.3 in.
Tread Width - Base: Front/Rear	19-inch tires: 63.4/63.4
Ground Clearance	5.3 in.

INTERIOR D	IMENSIONS		
Seating Capa	acity	5	
	<ul> <li>Maximum w/ Executive Class</li> <li>Seating Pkg. II</li> </ul>	4	
Headroom	- Front (with moonroof—standard)	38.0 in.	
	- Rear (with moonroof—standard)	38.0 in.	
Shoulder Roo	om – Front	58.5 in.	
	- Rear	56.4 in.	
	-w/ Executive Class Seating Pkg. II	56.7 in.	
Hip Room	- Front	55.4 in.	
	- Rear	55.5 in.	
Couple Distar seatbacks)	nce (distance between front and rear	45.5 in.	
EPA Cargo Volume		11.7 cu. ft.	
- with rear A/C		11.7 cu. ft.	

WEIGHTS AND CAPACITIES	
Curb Weight	5,049 lbs.
GVWR	
- Five passengers	6,075 lbs.
- Four passengers	6,010 lbs.
Weight Distribution – Percent Front/Rear	52/48
Fuel Capacity	22.2 gallons



HYBRID POWER SYSTEM		
Type, Materials  Total system power		Hybrid system with gas engine and two motor/generators
		438 hp
ENGINE		
Type, Materials		V8, aluminum block and cylinder heads
Designation		2UR-FSE
Valvetrain		32 valve w/ Dual Variable Valve Timing w/ intelligence and Electronically controlled intake (VVT-iE)
Displacement		5.0 liter
Bore x Stroke		3.70 in. x 3.52 in. (94.0 mm x 89.5 mm)
Compression Ratio		11.8:1
Horsepower		389 @ 6,400 rpm
Torque		385 lbft. @ 4,000 rpm
Fuel System		D-4S System (direct- and port-injected system) Electronic Throttle Control System with intelligence (ETCS-i)
Fuel Requirement		Premium 91 octane unleaded
Tailpipe Emission Certification (mfr. Estimate)		SULEV
ELECTRIC MOTORS		
Motor Generator 1 (MG1)	- Function	Primary generator, engine starter
	- Type	Permanent magnet motor
	<ul> <li>Cooling system</li> </ul>	Water-cooled
Motor Generator 2 (MG2)	- Function	Drives wheels; regenerative braking
	- Type	Permanent magnet motor
	<ul> <li>Max. voltage</li> </ul>	650 V (DC)
	- Max. output	221 hp (165 kW)
	<ul> <li>Cooling system</li> </ul>	Water-cooled
HYBRID BATTERY PACK		
Туре		Sealed Nickel Metal Hydride (Ni-MH)
Cell Quantity		240 cells (12 cells x 20 modules)
Cell Type		Nickel-plated metal container
Nominal Voltage		288V (can be boosted to 650 volts with power circuit)
Power Output		49 hp



DRIVETRAIN		
Layout		Full-time all-wheel-drive
Transmission	Туре	Electronically-controlled Continuously Variable Transmission (ECVT) with three-stage torque multiplication, normal, power and snow modes
Designation		L110F
Gear Ratios	1 <sup>st</sup>	N/A
	2 <sup>nd</sup>	N/A
	3 <sup>rd</sup>	N/A
	4 <sup>th</sup>	N/A
	5 <sup>th</sup>	N/A
	6 <sup>th</sup>	N/A
	7 <sup>th</sup>	N/A
	8 <sup>th</sup>	N/A
	Reverse	N/A
Differential R	atio	3.916

CHASSIS AND BODY		
Body/Frame		Steel Uni-body Frame Structure
Suspension	- Front	Multi-link, double joint
	- Rear	Multi-link, double joint
Steering	- Type	Rack and Pinion with Electric Power Steering (EPS), Variable Gear Ratio Steering (VGRS) and Vehicle Dynamics Integrated Management (VDIM)
	- Overall Ratio	11.7 – 18.4 (with Active Power Stabilizer)
		11.6 – 18.7 (without Active Power Stabilizer)
	- Turns (lock to lock)	2.3-3.7 (with 19-inch wheels)
	- Turning Circle (curb to curb)	39.4 ft. (with 19-inch wheels)
Brakes	- Type	Antilock Braking System (ABS); Electronically Controlled Brakes (ECB); Electronic Brake Force Distribution (EBD), Brake Assist (BA), VSC, TRAC (all systems integrated VDIM System)
	- Front	Four-piston calipers, ventilated discs, power assisted
	- Rear	Two-piston calipers, ventilated discs, power assisted
Anti-lock Brak	ing System	Four channel, Four sensor



CHASSIS AND BODY CONT.	
Wheel Size/Type	19 x 8.0 J Aluminum alloy wheels with high-gloss painted finish
- Optional	18 x 7.5 J aluminum alloy wheels (Executive Class Seating Package II only)
Tire Size/Type	245/45R19 all season
- Optional	235/50R18 all season (Executive Class Seat Pkg. II)
Matching Full-size Spare	245/45R19 with alloy wheel

PERFORMANCE	
0-60 MPF Acceleration (mfr. Estimate)	5.5 seconds
Top Track Speed (electronically limited)	130 mph (210 km/h)
2008 EPA estimated mileage	20 mpg city/22 mpg highway (21 mpg comb.)*
Recommended fuel	Premium unleaded
Coefficient of Drag (C <sub>d</sub> )	0.27

<sup>\*</sup> For model year 2008 the EPA has revised the way the estimated fuel economy rating is determined. Actual mileage will vary.



#### STANDARD EXTERIOR FEATURES

#### **Overall Exterior Styling/Body Design**

L-finesse design cues

Long, sleek cabin look; strong stance that hugs the ground; front and rear views that emphasize the elegant cabin silhouette; strong hood and commanding fenders

19-inch split seven-spoke alloy wheels; buffing time meticulously analyzed to create shade depths that shift with vehicle movement

One-piece chrome molding for side window surrounds

Integrated dual-chrome exhaust tips

World's first low beam 3+1 projector LED headlights

Hybrid-specific characteristics using blue accents in front headlamps, front and rear "L" badges, "HYBRID" side badging, taillamps, "600h" in rear "LS 600h L" badge, engine cover, SmartAccess key fob and Smart Card key

Arrowhead-shaped parking lamps and wrap-around L-shaped taillights

Thin profile-integrated LED high-mount stop lamp

Lower body side chrome molding

#### **Body Structure and Paint**

High-strength steel alloy and ultra-high strength sheet metal used in body structure

Aluminum crush boxes reduces damage from light impact and improves serviceability

Body hand-sanded twice during the application of alternating layers of paint and coatings on critical areas

Acoustic glass windshield

Thinsulate insulation for more effective sound absorption

Elimination of lead additive in paints, coatings and ceramic components

Narrow and precise body panel gaps

Laminated side window glass

Exterior colors (all 3-4 coat multi-bake process): Black Opal, Smoky Granite Mica, Mercury Metallic, Starfire Pearl, Verdigris Mica, Obsidian, Golden Almond Metallic, Noble Spinel Mica, and Opaline Pearl

#### **Convenience Features**

Headlamp washers

Power door closers

One-touch open/close power trunk lid with jam protection

Intuitive Park Assist

Heated electrochromic outside rearview mirrors with puddle lamps (mounted on the underside of mirror housing), and power folding function

SmartAccess key fobs with Smart Card



#### STANDARD INTERIOR FEATURES

#### **Interior Trim**

L-finesse interior design theme

Semi-aniline leather trimmed seating

Leather-trimmed instrument panel, door panels and armrests

Grain-matched wood trim for center console and door panels

Wood and leather-trimmed steering wheel

Wood-trimmed and chrome-plated shift knob

Wood-trimmed assist grips

Heated steering wheel

Interior leather/wood trim colors: Cashmere/Medium Brown Walnut, Alabaster/Dark Brown Ash Burl, Light Gray/Dark Gray Bird's-eye Maple, Black/Medium Brown Walnut

Carpeted floor mats

Alcantara headliner

### **Seats**

L-finesse inspired design theme

16-way power driver seat and 12-way power front seats

Three-position memory system for driver seat

Power seatbelt shoulder height adjusters for front passengers

Climate-controlled front seats and heated rear seats

#### **Instrumentation and Controls**

SmartAccess with push-button start/stop

Electroluminescent (Optitron®) gauges

Gated shifter with sequential sport-shift mode

Electrochromic inside mirror

Cruise control

HomeLink® programmable garage door opener

Power tilt/telescoping steering wheel with audio, brake hold function and multi-information display controls

TFT (Thin Film Transistor) color multi-information display indicates: driving range of remaining fuel in tank, average fuel consumption, average fuel consumption since refueling, current fuel consumption, average speed since vehicle started, outside temperature, elapsed time, Dynamic Radar Cruise Control settings (if equipped), maintenance/diagnostic messages, and "Lexus Hybrid Drive" illuminates at start-up.

#### **Comfort/Convenience Features**

30 GB Hard Disc Drive (HDD) Navigation System with voice activation, Bluetooth® (including steering wheel controls, rear back-up camera)

Power tilt-and-slide moonroof with one-touch closure

Dual-zone front climate control with smog sensor and automatic recirculation control

LED interior lighting with spot-lamp illumination in front and rear



#### **Comfort and Convenience Features Cont.**

Charcoal-activated clean air dust and pollen filter

First aid kit

Heated steering wheel

Power rear sunshade

Individual vanity mirrors in rear seat area

Rear B-pillar vents

#### STANDARD AUDIO SYSTEM

XM Satellite Radio with NavTraffic displays and dynamic rerouting

## **Mark Levinson Audio**

In-dash six-disc DVD changer

HDD music server stores up to 2,000 songs

AM/FM Tuner

Digital Sound Processor (DSP)

Automatic Sound Levelizer (ASL)

MP3/WMA compatibility

19 speakers (7.1 channel speaker architecture)

MP3/iPod® audio input plug

450 watts, all channels driven (15 discrete channels), 20-20kHz @ less than 0.1 percent Total Harmonic Distortion (THD)

#### STANDARD SAFETY AND SECURITY

## **Safety**

Dual stage driver and front passenger airbags

Front passenger twin-chamber airbag

Side curtain airbags

Side airbags for driver and front passenger

Knee airbags for driver and front passenger

Force limiters and seatbelt pretensioners

Three-point seatbelts and headrests for all three rear seating positions

Adaptive Front lighting System (AFS)

Front-passenger Occupant Classification System



#### STANDARD MECHANICAL FEATURES

Two-stage Electronically-controlled Continuously Variable Transmission (ECVT) with eight-speed sequential shift

Dual Variable Valve Timing with intelligence (VVT-iE) with electrically controlled intake

Direct Ignition System (DIS)

Acoustic Control Induction System (ACIS)

Aluminum block and cylinder heads with magnesium cylinder covers

High-grade plastic water jackets to improve cylinder cooling and performance

Variable Gear Ratio Steering (VGRS)

Electronic Parking Brake and brake hold function

Vehicle Dynamics Integrated Management (VDIM) system: includes Electronically Controlled Brake (ECB) system, Electronic Power Steering (EPS), Vehicle Stability Control (VSC), Traction Control (TRAC), Antilock Braking System (ABS), and Electronic Brake-force Distribution (EBD)

Liquid-filled engine mounts to reduce noise and vibration

Increased use of aluminum in suspension components

Air Suspension with three settings

All-Wheel-Drive with Torsen® Limited Slip Center Differential

#### **FACTORY OPTIONS**

Pre-Collision System with Dynamic Radar Cruise Control

Active Power Stabilizer

## Premium Package

- Rear power seats with memory and center console controls for power slide, recline and headrest
- Rear heated/cooled seats
- Rear seat side airbags
- Lexus Link
- · Advanced Parking Guidance System

#### Premium Package II

- Four-zone climate control with air purifier. additional air ducts and rear cool box
- Rear seat entertainment system with power nine-inch screen
- Rear audio control panel
- Twin power rear door sunshades
- Additional wood trim
- Rear power seats and headrests with memory
- Rear heated/cooled seats
- · Rear seat side air bags
- Lexus Link
- Advanced Parking Guidance System



## FACTORY OPTIONS CONT.

## **Executive-Class Seating Package II**

- Right-rear power recliner with multifunction massager and leg rest
- Rear-seat wood-trimmed table
- Rear-seat entertainment system with wireless headphones
- Rear DVD player
- Four-zone climate control with air purifier and rear infrared temperature sensor
- Rear-seat cool box
- Power rear-door sunshades
- · Rear-sear audio controls
- Climate-comfort rear heated/cooled seats
- Power rear seats with memory and power headrests
- Rear seat side airbags
- 18-inch nine-spoke wheels
- Additional wood trim
- Lexus Link
- Advanced Parking Guidance System